8. REFERENCES

[1] Microsoft indoor localization competition, http://research.microsoft.com/en-us/events/ipsn2014indoorlocalizatinocompetition/.

[2] IEEE std 802.11-2012 (revision of IEEE std 802.11-2007), IEEE standard for information technology, 2012.

[3] Bahl, P., and Padmanabhan, V. RADAR: an in-building RF-based user location and tracking system. In *Proc. IEEE INFOCOM'00* (Mar. 2000).

[4] Bourchas, T., Bednarek, M., Giustiniano, D., and Lenders, V. Poster abstract: Practical limits of wifi time-of-flight echo techniques. In *Proceedings of the 13th International Symposium on Information Processing in Sensor Networks* (Piscataway, NJ, USA, 2014), IPSN '14, IEEE Press, pp. 273–274.

[5] Chintalapudi, K., Padmanabha Iyer, A., and Padmanabhan, V. N. Indoor localization without the pain. In *In Proc. of ACM MobiCom '10* (2010), pp. 173–184.

[6] Ciurana, M., Barcelo-Arroyo, F., and Izquierdo, F. A ranging system with IEEE 802.11 data frames. In *Radio and Wireless Symposium, 2007 IEEE* (2007), pp. 133–136.

[7] Gallo, P., Garlisi, D., Giuliano, F., Gringoli, F., and Tinnirello, I. WMPS: A positioning system for localizing legacy 802.11 devices. In *Transactions on Smart Processing and Computing,* (October 2012).

[8] Giustiniano, D., and Mangold, S. CAESAR: carrier sense-based ranging in off-the-shelf 802.11 wireless lan. CoNEXT '11, ACM, p. 10.

[9] Golden, S. A., and Bateman, S. S. Sensor measurements for Wi-Fi location with emphasis on time-of-arrival ranging. *IEEE Trans. Mobile Comput. 6*, 10 (Oct. 2007), 1185–1198.

[10] Goswami, A., Ortiz, L. E., and Das, S. R. Wigem: A learning-based approach for indoor localization. CoNEXT '11, ACM, pp. 3:1–3:12.

[11] Günther, A., and Hoene, C. Measuring round trip times to determine the distance between wlan nodes. NETWORKING'05, Springer-Verlag, pp. 768–779.

[12] Li, X., Pahlavan, K., Latva-aho, M., and Ylianttila, M. Comparison of indoor geolocation methods in dsss and ofdm wireless lan systems. In *IEEE Fall VTC 2000* (2000), vol. 6, pp. 3015–3020 vol.6.

[13] Lim, H., Kung, L.-C., Hou, J., and Luo, H. Zero-configuration, robust indoor localization: Theory and experimentation. In *INFOCOM 2006. 25th IEEE International Conference on Computer Communications. Proceedings* (April 2006), pp. 1–12.

[14] Mariakakis, A. T., Sen, S., Lee, J., and Kim, K.-H. Sail: Single access point-based indoor localization. In *Proceedings of the 12th Annual International Conference on Mobile Systems, Applications, and Services* (New York, NY, USA, 2014), MobiSys '14, ACM, pp. 315–328.

[15] McCrady, D., Doyle, L., Forstrom, H., Dempsey, T., and Martorana, M. Mobile ranging using low-accuracy clocks. *Microwave Theory and Techniques, IEEE Transactions on 48*, 6 (2000), 951–958.

[16] Youssef, M., and Agrawala, A. The horus wlan location determination system. MobiSys '05, ACM, pp. 205–218.