

tial communication to cellular wireless devices is largely to blame for high latency measures. Similar spikes that may be consistent with handoff also dissipate over time, to more conventional latencies that support application traffic. With this data, researchers should be able to reason about what to expect in terms of false outage detection for a given timeout and how to design probing methods to account for these behaviors.

Our initial hypothesis was that it would be a simple matter to confirm that widely used timeout values would be adequate for studying outages, or failing that, that one or two additional seconds would be enough. However, as memory capacity and performance becomes less of a limiting factor, we believe that the lesson of this work is to design network measurement software to approach outage detection using a method comparable to that of TCP: send another probe after 3 seconds, but continue listening for a response to earlier probes, at least for a duration based, at least in part, on the error rates implied by Table 2. We plan to use 60 seconds when we need a timeout, and avoid timeouts otherwise.

Acknowledgments

We would like to express our sincere appreciation to the authors of the ISI Internet survey for both publishing their data and designing their data collection method to collect the unmatched responses that enabled this analysis.

We also would like to thank Zakir Durumeric for incorporating our changes into https://github.com/zmap/zmap/blob/master/src/probe_modules/module_icmp_echo_time.c in order to support explicit matching of responses and calculating round trip times in the stateless Zmap.

This research was supported in part by ONR grant N00173-13-1-G001.

8. REFERENCES

- [1] Fred Baker. Requirements for IP version 4 routers. IETF RFC-1812, June 1995.
- [2] Chadi Barakat, Nesrine Chaher, Walid Dabbous, and Eitan Altman. Improving TCP/IP over geostationary satellite links. In *Global Telecommunications Conference, 1999. GLOBECOM'99*, volume 1, pages 781–785, 1999.
- [3] R. Braden, Editor. Requirements for internet hosts – communication layers. IETF RFC-1122, October 1989.
- [4] Rajiv Chakravorty, Andrew Clark, and Ian Pratt. GPRSWeb: Optimizing the web for GPRS links. In *MOBISYS*, May 2003.
- [5] Zakir Durumeric, Eric Wustrow, and J Alex Halderman. ZMap: Fast Internet-wide Scanning and Its Security Applications. In *USENIX Security*, pages 605–620, 2013.
- [6] Nick Feamster, David G. Andersen, Hari Balakrishnan, and M. Frans Kaashoek. Measuring the effects of Internet path faults on reactive routing. In *ACM SIGMETRICS*, 2003.
- [7] John Heidemann, Yuri Pradkin, Ramesh Govindan, Christos Papadopoulos, Genevieve Bartlett, and Joseph Bannister. Census and Survey of the Visible Internet. In *IMC*, 2008.
- [8] Philip Homburg. [atlas] timeout on ping measurements. <http://www.ripe.net/ripe/mail/archives/ripe-atlas/2013-July/000891.html>, July 2013. Posting to the ripe-atlas mailing list.
- [9] ISI ANT Lab. Internet address survey binary format description. http://www.isi.edu/ant/traces/topology/address_surveys/binformat_description.html.
- [10] Ethan Katz-Basset, Harsha V. Madhyastha, John P. John, Arvind Krishnamurthy, David Wetherall, and Thomas Anderson. Studying black holes in the internet with Hubble. In *NSDI*, 2008.
- [11] Landernotes. https://wiki.isi.edu/predict/index.php/LANDER:internet_address_survey_reprobing_it54c-20130524.
- [12] Mathew J. Luckie, Anthony J. McGregor, and Hans-Werner Braun. Towards improving packet probing techniques. In *IMW*, pages 145–150, San Francisco, CA, November 2001.
- [13] Matthew Luckie. Scamper: A Scalable and Extensible Packet Prober for Active Measurement of the Internet. In *IMC*, pages 239–245, 2010.
- [14] Harsha V. Madhyastha, Tomas Isdal, Michael Piatek, Colin Dixon, Thomas Anderson, Aravind Krishnamurthy, and Arun Venkataramani. iPlane: An information plane for distributed services. In *OSDI*, Seattle, WA, November 2006.
- [15] Ina Minei and Reuven Cohen. High-speed internet access through unidirectional geostationary satellite channels. In *IEEE Journal on Selected Areas in Communications*, 1999.
- [16] Jeffrey Mogul. Broadcasting Internet datagrams. IETF RFC-919, October 1984.
- [17] Vern Paxson. End-to-end routing behavior in the Internet. In *ACM SIGCOMM*, pages 25–38, Palo Alto, CA, August 1996.
- [18] Lin Quan, John Heidemann, and Yuri Pradkin. Trinocular: Understanding Internet Reliability Through Adaptive Probing. In *ACM SIGCOMM*, pages 255–266, 2013.
- [19] RIPE NCC. Atlas. <http://atlas.ripe.net>.
- [20] SamKnows. Test methodology white paper, 2011.
- [21] Aaron Schulman and Neil Spring. Pingin’ in the rain. In *IMC*, Berlin, November 2011.
- [22] Neil Spring, David Wetherall, and Thomas Anderson. Scriptroute: A public Internet measurement facility. In *USITS*, pages 225–238, Seattle, WA, March 2003.
- [23] Ming Zhang, Chi Zhang, Vivek Pai, Larry Peterson, and Randy Wang. PlanetSeer: Internet path failure monitoring and characterization in wide-area services. In *OSDI*, San Francisco, CA, December 2004.